



100







Figure 1







**FIG. 3**




**FIG. 4**


**Figure 5**



**FIG.6**




**FIG. 7A**



**FIG.7B**





**FIG.8**




Figure 9

**1000**

MVXL	Count	Destination	Source
------	-------	-------------	--------

**Figure 10**

- 1101. User calls Device Driver
  - Supplies
    - Source Network ID
    - Source Offset
    - Destination Network ID
- 1102. Device driver transfers addresses to Adapter
- 1103. Adapter Translates Addresses
  - Looks up Physical Base addresses from ID's (Table Lookup)
  - Obtains Lock and current Destination Offset
  - Adds offsets
  - Checks bounds
- 1104. Adapter loads count and addresses in registers
- 1105. Adapter executes Data Move
- 1106. Adapter Frees Lock
- 1107. Adapter notifies device Driver which "Returns" to user

**Figure 11**

- 1201. User calls Device Driver
  - Supplies
    - Source Network ID
    - Source Offset
    - Destination Network ID
- 1202. Device driver sends addresses to adapter
- 1203. Adapter Translates
  - Looks up Physical Base addresses from ID's (Table Lookup)
  - Obtains Lock and current Destination Offset\*
  - Adds offsets
  - Checks bounds
  - Returns Lock and Physical addresses to Device Driver
- 1204. Device Driver executes Data Move
- 1205. Device Driver Frees Lock
- 1206. Device Driver Returns

**Figure 12**






Figure 13




**FIG. 14**



**FIG.15**





**FIG.16**